

# CONSTANT FEED METHOD

## THRIVEDO<sup>®</sup> & MEDICINAL CANNABIS | TECHNICAL USE GUIDELINES CONSTANT FEED METHOD

**Recommended Rate**

- .25mL/GAL

**Carrier**

- Water

**Application Method**

- Add to Fertilizer Stock Tank Solution

**Application Frequency**

- Apply Every Time Fertilizer is Applied

**Application Duration**

- Vegetative Stage thru Harvest

**Application Timing**

- Vegetative & Flowering

### THRIVEDO COMPOSITION

- 18.7% Yeast Extract (*Saccharomyces cerevisiae*)
- 8.8% Proprietary Surfactant Blend
- Powered by OpusMAX formulation technology

For drench application method,  
please see reverse side.

# DRENCH METHOD



## THRIVEDO® & MEDICINAL CANNABIS | TECHNICAL USE GUIDELINES DRENCH METHOD

**Recommended Rate**

- 5mL/GAL – 10mL/GAL

**Carrier**

- Water

**Application Method**

- Soil Drench

**Volume**

- Apply 20 fl. oz. per 1 gallon of substrate based on pot size
- (i.e. 1 Gal = 20 ounces of solution; 2 Gal = 40 ounces of solution, etc.)

**Application Frequency**

- Weekly

**Application Duration**

- 7-10 Weeks

**Application Timing**

- Vegetative & Early Flowering

**THRIVEDO COMPOSITION**

- 18.7% Yeast Extract (*Saccharomyces cerevisiae*)
- 8.8% Proprietary Surfactant Blend
- Powered by OpusMAX formulation technology

For constant feed application method, please see reverse side.